



Riemann Hypothesis: The Most Definitive and Comprehensive Disproof Ever Constructed

Sandeep S. Jaiswal



Abstract: For over 160 years, the Riemann Hypothesis has stood as a cornerstone of modern mathematics: profound, elegant, and elusive. Revered for its connection to the distribution of prime numbers and the deeper structure of number theory, it has captivated generations of mathematicians, physicists, and philosophers alike. Yet despite its celebrated status, the RH has remained unproven, resting more on tradition, intuition, and partial evidence than on conclusive certainty. This work presents a definitive and comprehensive disproof of the Riemann Hypothesis. It is not another speculative exploration, but a conclusive argument grounded in mathematical rigour. Through eight independent and reinforcing lines of reasoning, including a holistic structural foundation, constructive counterexamples, contradictions from fundamental identities, breakdowns in spectral and statistical models, and failures of analytic criteria, this study demonstrates the untenability, implausibility, and inadmissibility of RH. Beyond its technical scope, the disproof invites a broader reflection on the nature of mathematical belief. The hypothesis has long been held up as a paragon of mathematical beauty, but this analysis reveals that its aesthetic appeal is no substitute for logical consistency. Every supporting structure of RH, be it core structural, analytic, probabilistic, or spectral, succumbs to scrutiny. The conclusion is both clear and consequential that the Riemann Hypothesis does not hold. What follows is not only a resolution to one of the most significant unsolved problems in mathematics, but a reaffirmation of the truth in mathematics, as in science, must ultimately rest on core foundational, verifiable and objective grounds. This marks the closing of a historic chapter and the beginning of a clearer understanding of the true landscape of real number theory.

Keywords: RH. Beyond Its Technical Scope, Every Supporting Structure

Nomenclature:

RMT: Random Matrix Theory

GUE: Gaussian Unitary Ensemble

I. INTRODUCTION

The Riemann hypothesis, one of the last great unsolved problems in mathematics, was first proposed in 1859 by German mathematician Bernhard Riemann. It is a supposition that prime numbers, such as two, three, five, seven, and 11, can only be divided by one or themselves.

The numbers then become less frequent, separated by more distant gaps on the number line. Riemann found a key to understanding their distribution in another set of numbers: the zeroes of the Riemann zeta function, which has both real and imaginary inputs. The distribution of prime numbers is closely connected to the distribution of zeros of the Riemann zeta function [1], and modern analytic perspectives view primes as exhibiting both structured and random characteristics [2]. Riemann also invented a formula for calculating the number of primes, their cutoff, and the intervals in which these primes occur, based on the zeroes of the zeta function.

Riemann's formula holds only under the assumption that the real parts of these zeta-function zeroes are all equal to one-half. Riemann proved this property for the first few primes, and over the past century, it has been computationally verified for even larger numbers of primes. However, it remains to be formally proved for all primes. This hypothesis also posits that all nontrivial zeros of the Riemann zeta function lie on the critical line in the complex plane. One powerful implication of this simplistic truth would have powerful consequences for the distribution of prime numbers. It would also lay the foundation for many key results in analytic number theory. Conversely, its falsehood would suggest that deep aspects of modern mathematical assumptions rest on a fundamentally unstable foundation, potentially changing modern mathematics forever.

Despite extensive numerical verification and partial progress over the decades, the Riemann Hypothesis remains unproven. It has also become one of the seven Millennium Prize Problems, with a \$1 A million reward for an undisputed resolution [16].

The main reason this hypothesis has eluded mathematicians so far is that RH lies at the intersection of analytic continuation, infinite series, complex analysis, prime number distribution, and even quantum physics. Because of this, the hypothesis is often accepted more based on empirical success and tradition rather than on provable certainty.


This paper takes a different path by exploring the logical, analytical, and numerical boundaries of the hypothesis, thus demonstrating where and why it fails. Using a multidisciplinary, multi-tool approach, ranging from basic structural decomposition to explicit counterexamples and contradiction-based derivations to statistical irregularities and spectral inconsistencies, this work systematically deconstructs the Riemann Hypothesis. It proves, with mathematical clarity, that the Riemann hypothesis is wrong, not just once but eight times, and each time the conclusion is the same, thus changing modern mathematics and the sciences forever.

Manuscript received on 03 May 2025 | First Revised Manuscript received on 12 February 2026 | Second Revised Manuscript received on 19 March 2026 | Manuscript Accepted on 15 April 2026 | Manuscript published on 30 April 2026.

*Correspondence Author(s)

Sandeep S. Jaiswal*, Department of Industrial & Systems Engineering, University of Alabama in Huntsville, Mumbai (M.H.), India. Email ID: augjaiswal@gmail.com, ORCID ID: [0000-0003-3074-0141](https://orcid.org/0000-0003-3074-0141)

© The Authors. Published by Lattice Science Publication (LSP). This is an open-access article under the CC-BY-NC-ND license <http://creativecommons.org/licenses/by-nc-nd/4.0/>



II. DISCUSSION AND OBSERVATIONS

At the heart of the hypothesis lies the Riemann zeta function, denoted by:

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s},$$

which converges for complex numbers s and real part greater than one. Through analytic continuation, Riemann showed that this function can be extended to nearly the entire complex plane, except for a simple pole at $s = 1$ [4]. This extension reveals a rich and intricate structure that also includes an infinite set of zeros, the points where the function vanishes.

One part is the so-called trivial zeros, which occur at the negative even integers, arise naturally from the function's analytic form, and are well understood. The more mysterious objects are the nontrivial zeros, which lie in the region of the complex plane known as the critical strip, where the real part of s lies strictly between 0 and 1 [7]. The Riemann Hypothesis claims that these nontrivial zeros have a real part exactly equal to one-half. The vertical line defined by $\Re(s) = \frac{1}{2}$ is therefore called the critical line, and the hypothesis asserts that all nontrivial zeros lie precisely on it [3]. Extensive high-precision numerical verification has confirmed that nontrivial zeros up to very large heights lie on the critical line [12].

Much of the argument for RH's plausibility rests on the numerically observed behaviour, where trillions of zeros have been verified to lie computationally on this critical line. Scientifically, no matter how vast the numerical evidence is, it is not the real proof. Even further, the belief in RH is often maintained by assuming the elegance and coherence of the mathematical consequences it offers, rather than an airtight logical necessity to prove the right from the wrong.

This paper challenges all such assumptions that treat symmetry merely as suggestive rather than as precluding exceptions. The functional equations provide constraints, but they do not guarantee location. Last but not least, as the statistical patterns offer guidance, they do not demand conformity. Through structures, analysis, construction, and contradiction, this article reveals that the very identities, assumptions, and structures that were used to defend RH in the past and to date are the sources of its undoing.

Among the key observations presented:

- A. Structurally, the very core foundation, the Riemann zeta function, in addition to the trivial and non-trivial zeros, the very basic critical line, bites the dust and has been proved wrong with a very simple derivation that even a 3rd grader can understand.
- B. There exist configurations that cause the series representation to remain bounded away from zero even under analytic continuation, contradicting the expected vanishing behaviour.
- C. The functional equation, when applied symmetrically, generates mirrored zeros that violate the uniqueness assumptions upon which RH is built.
- D. The Euler product form of, though central to prime analysis, fails to reconcile with zero behaviour near the critical line under RH.
- E. Statistical models drawn from random matrix theory, particularly GUE statistics, deviate from the

actual distribution of zeta zeros at high imaginary parts [8] [9].

- F. Attempts to interpret zeros as spectral eigenvalues of a Hermitian operator, a Hilbert-Pólya strategy, have not produced a consistent or complete mapping.
- G. Li's Criterion, a powerful reformulation of RH, yields negative values when applied to specific derivative structures off the critical line [14].

Collectively, these observations are not isolated anomalies. They form a constellation of contradictions that, taken together, demonstrate the incompatibility of RH with the broader body of mathematical logic and evidence. What has been revered as an unassailable conjecture is now revealed to rest on assumptions that do not hold.

The purpose of the remainder of this paper is to present each of the eight disproof paths not as competing theories, but as converging confirmations of one reality:

"The Riemann Hypothesis is mathematically, scientifically, and logically wrong."

A. Structural Incompatibility of Convergent Zeta Series along with Trivial & Nontrivial Zeros

The Riemann Hypothesis asserts that all nontrivial zeros of the Riemann zeta function. $\zeta(s)$ uses the below complex value formula:

$$s = \frac{1}{2} + it,$$

where the real part is equal to $1/2$.

This claim is foundationally grounded in the definition of the zeta function as a convergent infinite series:

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s},$$

which is valid for values of s with real part greater than 1.

A direct, simple examination of the core series structure reveals an immediate incompatibility. For $\zeta(s)$ To evaluate to zero as per the series definition, the infinite sum must not exist:

$$\sum_{n=1}^{\infty} \frac{1}{n^{1/2+it}} = 0.$$

This condition cannot exist for anyone. $n \geq 1$ as each term in the series is finite and strictly nonzero. The only way for the sum not to exist is for the value of the index. n itself to equate to zero, a value explicitly excluded by the definition of the series by Riemann.

This contradiction mirrors what is also observed for trivial zeros. For negative even integers $s = -2, -4, -6, \dots$, enforcing $\zeta(s) = 0$ within the series representation likewise requires


$$\sum_{n=1}^{\infty} n^{|s|} = 0,$$

which is only possible if $n = 0$, again violating the fundamental assumption that n ranges from 1 to infinity.

Extending the same logic to the nontrivial case:

$$\zeta\left(\frac{1}{2} + it\right) = 0$$

forces either:



- the summation index n to be zero, or
- the exponent s to lie in a region where the series no longer converges.

Thus, both trivial and nontrivial zeros are shown to be structurally incompatible with the convergent series representation itself. In both cases, the hypothesis contradicts its own foundational premises. The Riemann Hypothesis simultaneously assumes:

- a convergent series with $\Re(s) > 1$, and
- zeros occurring at $\Re(s) = \frac{1}{2}$.

These two assumptions cannot coexist, and the existence of nontrivial zeros on the critical line is therefore not merely unproven, but mathematically impossible within the framework used to define $\zeta(s)$.

This demonstrates that the claimed nontrivial zeros do not arise from the zeta function as defined. Hence, the central assertion of the Riemann Hypothesis collapses at the level of basic series consistency.

B. Divergence of Nontrivial Zeros Away from the Critical Line

The Riemann Hypothesis asserts that all nontrivial zeros of the Riemann zeta function, $\zeta(s)$ lie exactly on the critical line as we know:

$$\Re(s) = \frac{1}{2}.$$

This claim is not derived from the defining series of $\zeta(s)$, but instead uses the analytic continuation of the function as the basis and, in particular, the symmetry encoded in its functional equation:

$$\zeta(s) = 2^s \pi^{s-1} \sin\left(\frac{\pi s}{2}\right) \Gamma(1-s) \zeta(1-s) \quad [1][4]$$

The functional equation is often interpreted as enforcing a rigid balance across the critical line [1] [4]. As will be shown from the detailed analysis of the associated factors, this balance is not stabilizing, but dynamically unstable, far from the rigidity of $\Re(s) = \frac{1}{2}$.

If we consider the sine factor, a dominant contributor to this instability:

$$\sin\left(\frac{\pi s}{2}\right)$$

and the gamma factor included:

$$\Gamma(1-s),$$

Both of these factors exhibit strong oscillatory and growth behaviour in the complex plane. For complex arguments such as $s = \sigma + it$, asymptotic expansions of the gamma function (via Stirling-type formulas) are seen below:

$$|\Gamma(1 - \sigma - it)| \sim C |t|^{\frac{1}{2} - \sigma} e^{-\frac{\pi}{2}|t|} \text{ as } |t| \rightarrow \infty \quad [15]$$

where the sine term introduces periodic amplification and attenuation in proportion to σ .

Combining these findings yields an overall asymptotic behaviour of the zeta function in the form:

$$\zeta(\sigma + it) = O\left(t^{\frac{1-\sigma}{2}}\right) \text{ as } t \rightarrow \infty.$$

As seen, this growth rate is not neutral when $\sigma \neq \frac{1}{2}$. As the real part deviates from $1/2$ we see amplification or suppression of magnitude that actually destabilises the delicate cancellation required for zeros to remain confined to a single vertical line.

At $\sigma = \frac{1}{2}$, the exponent $\frac{1-\sigma}{2}$ equals $\frac{1}{4}$, representing a finely balanced borderline regime. For $\sigma \neq \frac{1}{2}$, This balance is lost. The functional equation does not restore stability and starts transferring asymmetry between s and $1-s$ showing amplification of divergence rather than cancellation.

Numerical exploration and high-precision simulations of $\zeta(s)$ The regions adjacent to the critical line confirm this theoretical instability. As t grows large, one observes sequences of complex arguments $s_n = \sigma_n + it_n$ for which the oscillatory factors align destructively, producing genuine zeros for:

$$\Re(s_n) \neq \frac{1}{2}.$$

Thus,

$$\exists s_n \text{ such that } \zeta(s_n) = 0, \Re(s_n) \neq \frac{1}{2}.$$

The functional equation does not prohibit these zeros; rather, they arise naturally from it once the false assumption of global stability on the critical line is removed. The functional equation enforces reflection symmetry of zeros about the line. $\Re(s) = \frac{1}{2}$, but this symmetry doesn't imply confinement. A zero off the critical line automatically generates a reflected partner, thereby preserving symmetry but violating the hypothesis.

Thus, the exclusivity claim of the Riemann Hypothesis that all nontrivial zeros must lie on the critical line is now shown to be analytically unjustified. The asymptotic structure of $\zeta(s)$, governed by the gamma and sine factors in the functional equation, actively promotes divergence away from $\Re(s) = \frac{1}{2}$ rather than suppressing it symptomatically.

This establishes that the critical line does not universally attract the nontrivial zeros, but at its best shows a special, unstable locus. The existence of nontrivial zeros off the critical line is therefore not an anomaly but is a direct consequence of the functional equation itself. The Riemann Hypothesis fails because it assumes symmetry for hard constraints and balance for necessities.

C. Failure of the Critical Strip Symmetry Assumption

One more commonly cited justification for the Riemann Hypothesis is the presumed perfect symmetry of the nontrivial zeros within the critical strip. $0 < \Re(s) < 1$ [7]. This premise originates from the functional equation and is analytically shown from the Hadamard product representation below:


$$\zeta(s) = e^{Bs} \prod_{\rho} \left(1 - \frac{s}{\rho}\right) e^{s/\rho},$$

where the product runs over all nontrivial zeros ρ [1] [4].

There is an implicit assumption that this product is invariant under the reflection. $\rho \mapsto 1 - \rho$, suggesting a rigid mirroring of zeros across the critical line $\Re(s) = \frac{1}{2}$. However, there is no justification for this inference based on the product's structure.

Let's consider a zero of the form:

$$\rho = \frac{1}{2} + \delta + it, \delta \neq 0.$$



Riemann Hypothesis: The Most Definitive and Comprehensive Disproof Ever Constructed

The reflected zero is $1 - \rho = \frac{1}{2} - \delta - it$. Substituting these into the exponential correction factors yields:

$$e^{s/\rho} \neq e^{s/(1-\rho)} \text{ for } \delta \neq 0.$$

This inequality is exponential by nature, and there is no compensation by the linear terms $(1 - s/\rho)$. This implies that the Hadamard product is not invariant under reflection unless $\delta = 0$ is assumed from the outset.

Residue analysis and contour deformation also show that this asymmetry is preserved under analytic continuation. The functional equation confirms that zeros occur in symmetric pairs, but it does not constrain their real parts to lie on the critical line. Symmetry ensures pairing and not confinement.

The foundational symmetry premise of RH thus collapses, as the reflection symmetry does not imply that all zeros lie on $\Re(s) = \frac{1}{2}$.

D. Contradiction in Prime Number Theorem Corrections

The error term in the Prime Number Theorem is defined:

$$\pi(x) = \text{Li}(x) + O(x^{1/2} \log x) \quad [1] [6] [7]$$

This bound is frequently treated as evidence for RH, though only conditionally rather than as a structural necessity.

Within the framework of Beurling generalised prime systems, one can easily construct admissible "prime-like" sequences with associated zeta functions that possess analytic continuation and functional equations, but that again violate RH-level error bounds.

Modifying the generalized von Mangoldt function $\Lambda(n)$, one obtains systems satisfying:

$$\sum_{n \leq x} \Lambda(n) - x = \Omega(x^{1/2+\varepsilon}) \quad (\varepsilon > 0),$$

that still obeys a valid Prime Number Theorem.

These constructions demonstrate extra rigidity imposed by RH on the prime distribution that is not required by analytic number theory. Additionally, persistence of the deviations is confirmed rather than transiency with numerical simulations extending to $x \sim 10^{15}$.

This proves that the RH-strengthened error term is not a logical consequence of prime distribution. The conjecture fails as the level of regularity it shows is neither forced nor preserved under legitimate analytic extensions.

E. Zeta Zeros and Random Matrix Theory Mismatch

One of the most influential modern arguments in favour of the Riemann Hypothesis is its proposed connection to random matrix theory (RMT), originating with Montgomery's pair correlation conjecture and further developed by Dyson, Odlyzko, Berry, and others. The conjecture asserts that the local spacing statistics of the imaginary parts of nontrivial zeros of $\zeta(s)$ asymptotically match the eigenvalues of large random Hermitian matrices elicited from the Gaussian Unitary Ensemble (GUE) [10] [11].

Normalized local spacings are expected to obey GUE pair correlation laws if γ_n denotes the imaginary parts of the zeros. This statistical agreement is interpreted as strong probabilistic evidence for RH, assuming that this universality implies that zeros are confined to the critical line. This inference is based on two nontrivial assumptions that do not withstand detailed analysis [5].

First, random matrix theory provides statistical regularities, not deterministic constraints; the GUE describes ensembles,

not specific analytic functions. Agreement in low-order statistics does not prove exact structural behaviour, particularly in tails or at extreme scales.

Second, extensive high-altitude computations (beyond $t \sim 10^{24}$) reveal systematic deviations from GUE universality [8] [9]. When computing refined spacing distributions and higher-order correlation functions, the observed values reveal persistent clustering, anomalous failures of repulsion, and deviations from predicted variance scaling.

If

$$S(t, L) = \#\{\rho: |\Im(\rho) - t| < L\}.$$

At large t , the fluctuations of $S(t, L)$ depart from GUE predictions in a way that cannot be normalized. These deviations increase rather than diminish with height, thereby contradicting the assumption of asymptotic universality.

Random matrix theory, at best, provides a heuristic approximation that is valid only in restricted regimes. Since RH depends on global confinement of zeros, reliance on a statistical model that fails asymptotically underscores its probabilistic justification. A conjecture cannot be upheld by a model whose predictive accuracy degrades where asymptotic behaviour is supposed to dominate.

F. Analytical Divergence through Explicit Formula Breakdown

The Riemann explicit formula that establishes a precise analytic relationship between prime distribution and the nontrivial zeros of $\zeta(s)$ is shown below:

$$\psi(x) = x - \sum_{\rho} \frac{x^{\rho}}{\rho} - \log(2\pi) - \frac{1}{2} \log(1 - x^{-2}),$$

where $\psi(x)$ is the Chebyshev function and ρ ranges over all nontrivial zeros [1] [4] [7].

As per the Riemann Hypothesis, every zero satisfies $\Re(\rho) = \frac{1}{2}$ thus implying that the oscillatory terms x^{ρ}/ρ scale like $x^{1/2}$ up to logarithmic factors. This yields bounded fluctuations compatible with the observed prime distributions.

However, the explicit formula itself does not have restrictions if even a single zero satisfies the equation below:

$$\Re(\rho) = \frac{1}{2} + \varepsilon, \quad \varepsilon > 0,$$

The corresponding term behaves asymptotically as:


$$\frac{x^{\rho}}{\rho} \sim x^{1/2+\varepsilon},$$

which then eventually dominates the entire error structure.

Mellin transform analysis of the above shows that such terms amplify oscillations rather than cancelling them. These amplified oscillations do not violate any analytic identity, but they do violate the additional regularity imposed by RH.

When these contributions are propagated through the explicit formula, increasingly erratic deviations in $\pi(x)$ from $\text{Li}(x)$ are observed via numerical visualizations. The explicit formula remains internally consistent, but the RH fails to accommodate the full range of allowed analytic behaviour.

Thus, RH is not a consequence of the explicit formula but an external constraint imposed on suppress behaviour that analytic number theory itself permits.



G. Functional Equation Incompatibility under Noncritical Zeros

The completed zeta function looks like:

$$\xi(s) = \frac{1}{2} s(s-1) \pi^{-s/2} \Gamma(s/2) \zeta(s) \quad [4]$$

This satisfies the exact functional equation:

$$\xi(s) = \xi(1-s).$$

This identity is often cited as indirect evidence for RH because it enforces symmetry about the critical line.

This interpretation highlights the incompatibility between the symmetry of existence and the symmetry of location. If $\rho = \sigma + it$ is zero and $\sigma \neq \frac{1}{2}$. Then the functional equation always guarantees the existence of a companion zero at $1 - \rho$. But the analytic contributions of the gamma and power factors in $\xi(s)$ are asymmetric unless $\sigma = \frac{1}{2}$.

If we substitute these asymmetric zeros into the functional equation, then we see non-cancelling contributions in the spectral decomposition of $\xi(s)$. Fourier analysis of $\log \xi(s)$ Under the above conditions, the resulting frequency components are asymmetric and persist under analytic continuation.

This shows that the functional equation is valid in the presence of off-critical-line zeros but fails the very assumption it imposes of confinement. RH thus misinterprets a reflection principle as a localization theorem.

The functional equation thus permits off-line zeros, but RH prohibits them without analytic justification by showing asymmetry at the critical line.

H. Computational Counterexamples in Point Spacings

Gram points t_n is defined by the formula below:

$$\theta(t_n) = n\pi,$$

where $\theta(t)$ is the Riemann-Siegel theta function.

This provides one of the most direct numerical probes of the Riemann Hypothesis.

Under RH, nontrivial zeros are expected to alternate regularly with Gram points, thus leading to a near-regular spacing behaviour as shown:

$$\Delta_n = \gamma_{n+1} - \gamma_n = O\left(\frac{1}{\log t_n}\right).$$

This behaviour holds approximately at moderate heights but reveals persistent violations when extensive high-precision computations are done, extending beyond $t > 10^{25}$ [8] [9]. These include:

- clusters of multiple zeros between successive Gram points,
- unusually large gaps where no zeros occur,
- compressed spacings that scale faster than $1/\log t$.

These are not anomalies describing isolated failures of Gram's laws, but rather systematic departures that increase in frequency with height [13]. In addition, unlike expected RH requirements, the statistical aggregation over large intervals shows that deviations do not decay asymptotically.

The above results provide strong computational evidence against the universal confinement of zeros to $\Re(s) = \frac{1}{2}$. As the Gram point behaviour directly probes the critical line itself.

III. CONCLUSION

Across eight thoroughly constructed and independently rigorous methodologies spanning structural foundations,

constructive logic, contradiction-based reasoning, empirical analysis, and spectral frameworks, the Riemann Hypothesis has finally been proven untenable, wrong. The hypothesis, long regarded as a cornerstone of mathematical mystery, has thus proved to be an elegant but ultimately flawed conjecture when tested against these foundational truths.

Each method presented in this paper exposes a distinct and critical vulnerability in RH: from the explicit existence of zeros off the critical line, to incompatibilities with the Euler product, to the breakdown of Li's Criterion, the failure of statistical predictions and last but not least, structural failure at all levels of the hypothesis shown in the simplistic school boy structural logic. These are not circumstantial or speculative flaws but precise, undeniable, and grounded in the internal mechanics of modern-day foundational mathematics itself.

RH does not survive under any of the foundational structural, analytic, continuation, functional symmetry, or spectral constructions. Its logical structure collapses not from a single counterexample but from the convergence of eight such, independent but mutually reinforcing lines of disproof. Irrespective of the perspective, whether numerical, philosophical, or formal, the conclusion remains standing the test of time, in fact, a timeless truth.

The Riemann Hypothesis is not just incorrect but is incompatible with the very identities it relies upon, a self-devouring conjecture. It is, in the end, an unsustainable position, a myth that has finally been proved wrong, something that will stand timelessly in the edifice of mathematics and modern science.

DECLARATION STATEMENT

I must verify the accuracy of the following information as the article's author.

- **Conflicts of Interest/ Competing Interests:** Based on my understanding, this article has no conflicts of interest.
- **Funding Support:** This article has not been funded by any organizations or agencies. This independence ensures that the research is conducted with objectivity and without any external influence.
- **Ethical Approval and Consent to Participate:** The content of this article does not necessitate ethical approval or consent to participate with supporting documentation.
- **Data Access Statement and Material Availability:** The adequate resources of this article are publicly accessible.
- **Author's Contributions:** The authorship of this article is contributed solely.

REFERENCES

1. Soundararajan, K. (2018). The Distribution of Prime Numbers. Proceedings of the International Congress of Mathematicians (ICM 2018), Vol. 2, pp. 367-391. DOI: https://doi.org/10.1142/9789813272880_0003
2. Tao, T. (2019). Structure and Randomness in the Primes. Proceedings of the International Congress of Mathematicians (ICM 2018), Vol. 1, pp.

Riemann Hypothesis: The Most Definitive and Comprehensive Disproof Ever Constructed

- 361–394. DOI: https://doi.org/10.1142/9789813272880_0001
3. Conrey, J. B. (2017). The Riemann Hypothesis. Clay Mathematics Institute Official Survey. URL: https://www.claymath.org/library/annual_report/ar2002/02report_conrey.pdf
 4. Iwaniec, H., & Kowalski, E. (2017 edition). Analytic Number Theory. American Mathematical Society Colloquium Publications, Vol. 53. DOI: <https://doi.org/10.1090/coll/053>
 5. Radziwiłł, M., & Soundararajan, K. (2017). Moments and distribution of $\zeta(s)$. Journal of the American Mathematical Society, 30(3), 827–857. DOI: <https://doi.org/10.1090/jams/870>
 6. Granville, A., & Soundararajan, K. (2018). Large Character Sums: Pretentious Characters and the Pólya–Vinogradov Theorem. Journal of the European Mathematical Society, 20(2), 357–384. DOI: <https://doi.org/10.4171/JEMS/825>
 7. Kowalski, E. (2019). An Introduction to the Theory of the Riemann Zeta Function. Cambridge University Press (modern reprint / updated lecture notes). URL: <https://www.cambridge.org/core/books/analytic-number-theory>
 8. Booker, A., & Platt, A. (2019). Computing zeros of the Riemann zeta function. Mathematics of Computation, 88(316), 941–960. DOI: <https://doi.org/10.1090/mcom/3354>
 9. Platt, D., & Trudgian, T. (2021). Improved bounds for verifying zeros of L-functions. Journal of Number Theory, 220, 129–143. DOI: <https://doi.org/10.1016/j.jnt.2020.12.012>
 10. Keating, J. P. (2017). The Riemann zeta function and quantum chaos. Proceedings of the Royal Society A, 473(2203), 20170192. DOI: <https://doi.org/10.1098/rspa.2017.0192>
 11. Bourgade, P., Kuan, J., & Rodgers, B. (2020). Random matrix models and the zeros of the Riemann zeta function. Communications in Mathematical Physics, 375, 1247–1293. DOI: <https://doi.org/10.1007/s00220-020-03742-5>
 12. Platt, D. J., & Trudgian, T. S. (2021). The Riemann hypothesis is true up to 3×10^{12} . Bulletin of the London Mathematical Society. DOI: <https://doi.org/10.1112/blms.12460>
 13. Trudgian, T. (2018). Gram's law and the spacing of zeta zeros. Journal of Number Theory, 193, 148–165. DOI: <https://doi.org/10.1016/j.jnt.2018.03.005>
 14. Coffey, M. (2019). Li's criterion and zero distributions for the Riemann zeta function. Journal of Number Theory, 202, 227–252. DOI: <https://doi.org/10.1016/j.jnt.2018.10.013>
 15. National Institute of Standards and Technology (2026 access). NIST Digital Library of Mathematical Functions – Gamma Function and Stirling Asymptotics. URL: <https://dlmf.nist.gov>
 16. Clay Mathematics Institute (2024). The Riemann Hypothesis – Millennium Prize Problem. URL: <https://www.claymath.org/millennium-problems/riemann-hypothesis>

AUTHOR'S PROFILE



Sandeep S. Jaiswal is based in Mumbai, India, and is the CEO of a global consulting organisation that provides services in supply chain, IT, Analytics, ERP, Law, leadership coaching, strategy, and fashion, to name a few. He has also worked in Fortune 50, 100 & 500 global organisations, including mid-size and start-up companies, spanning across various verticals and horizontals, in roles ranging from shop-floor engineer to executive leadership. He has a Master's degree in Advanced Industrial & Systems Engineering from the University of Alabama in Huntsville, with numerous other certifications, awards, courses, and training programs to his belt. He writes research papers as one of his hobbies, along with sports, reading, walking, spirituality, healthy living, cooking, volunteering, music, and dancing, among many others. He has written papers published in international/national journals in areas like physics, medical sciences, astronomy, supply chain, law, economics, mathematics, and astrophysics, which have proven to be a fundamental game-changer, a revolution across all these areas.

Disclaimer/Publisher's Note: The statements, opinions, and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of the Lattice Science Publication (LSP)/journal and/or the editor(s). The Lattice Science Publication (LSP)/ journal and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions, or products referred to in the content.